Contents

Editors' preface ix

SECTION I. GROWTH AND CHARACTERIZATION OF EPILAYERS AND HETEROSTRUCTURES

Novel beryllium containing II–VI compounds: basic properties and potential applications*
A. Waag, Th. Litz, F. Fischer, H.-J. Lugauer, T. Baron, K. Schüll, U. Zehnder, T. Gerhard, U. Lunz, M. Keim, G. Reuscher and G. Landwehr 1

Hetero-epitaxial growth of $Be_xZn_{1-x}Se$ on Si(0 0 1) and GaAs(0 0 1) substrates
J.P. Faurie, V. Bousquet, P. Brunet and E. Tournié 11

Growth and characterization of novel MgSe/ZnCdSe superlattice quasi-quaternaries on InP substrates
H. Shimbo, I. Nomura, T. Nagano, W. Shinozaki, H. Hattori, A. Kikuchi and K. Kishino 16

Lattice-matched $Zn_{1-y}Cd_ySe/In_xGa_{1-x}As$(0 0 1) heterostructures
B.H. Müller, R. Lantier, L. Sorba, S. Rubini, M. Lazzarino, S. Heun, A. Bonanni, A. Franciosi, E. Napolitanoi, F. Romanato and A. Drigo 21

CdSe/ZnSe strained layer superlattices grown on InP
Y. Nabetani, H. Takahashi, T. Kato and T. Matsumoto 26

Quantitative growth-investigation of zincblende ZnMgSe/GaAs(0 0 1) and ZnSe/GaAs(0 0 1) by means of RHEED, HRXRD and thickness monitoring
T. Frey, T. Reisinger, B. Folger, M. Kastner and W. Gebhardt 31

Growth of sulphur-based ternary and quaternary epilayers for use in multilayer devices
G.D. Brownlie, B. Vögele, W. Meredith, J.S. Milnes, K.A. Prior and B.C. Cavenett 37

ZnSe heteroepitaxy on GaAs(0 0 1) and GaAs(1 1 0)
S. Miwa, L.H. Kuo, K. Kimura, A. Ohtake, T. Yasuda, C.G. Jin and T. Yao 41

Growth of ZnSe on misoriented GaAs(1 1 0) surface by molecular beam epitaxy
K.W. Koh, M.W. Cho, Z. Zhu, T. Hanada, M. Isshiki and T. Yao 46

Growth of ZnSe and ZnCdSe on (2 1 1)B GaAs substrates
S.A. Telfer, G. Horsburgh, J.S. Milnes, C. Morhain, P.J. Thompson, K.A. Prior and B.C. Cavenett 51

Molecular beam epitaxy of wurtzite CdSe on GaAs{1 1 1} substrates
M. Ohishi, M. Yoneta, H. Saito, H. Sawada and S. Mori 57

Structural properties of ZnTe/Zn(S,Te)-superlattices grown by molecular beam epitaxy on (0 0 1) GaAs-substrates
M. Korn, T. Gerhard, H.R. Ress, D. Albert, A. Gerhard, C. Schumacher and W. Faschinger 62

MBE growth and characterization of $ZnS_{1-x}Te_x$ and $Zn_{1-y}Mg_yS_{1-x}Te_x$ alloys
M. Kobayashi, C. Setiagung, K. Wakao, S. Nakamura, A. Yoshikawa and K. Takahashi 66

Interplay of kinetics and thermodynamics in molecular beam epitaxy of (Mg,Zn,Cd)(S,Se)
S. Ivanov, S. Sorokin, I. Krestnikov, N. Faleev, B. Ber, I. Sedova, Yu. Kudryavtsev and P. Kop'ev 70

Deposition and growth with desorption for CdTe molecular beam epitaxy
P. Peyla, A. Pimpinelli, J. Cibert and S. Tatarenko 75

An ab initio study of Se-reacted GaAs(0 0 1) surfaces
S. Gundel, W. Spahn, W. Faschinger and G. Landwehr 80

TEM-investigation on the critical thickness anisotropy of MBE-grown ZnSe/GaAs and $Zn_{1-x}Mg_xSe$/GaAs
H. Preis, T. Frey, T. Reisinger and W. Gebhardt 85

Start of misfit relaxation in GaAs–ZnSe heterostructures
H.R. Reß, W. Spahn, R. Ebel, J. Nürnberger, M. Keller, H. Schäfer, M. Korn, M. Ehinger, W. Faschinger and G. Landwehr 90

Measurements by X-ray topography of the critical thickness of ZnSe grown on GaAs
C.B. O'Donnell, G. Lacey, G. Horsburgh, A.G. Cullis, C.R. Whitehouse, P.J. Parbrook, W. Meredith, I. Galbraith, P. Möck, K.A. Prior and B.C. Cavenett 95

Temperature-dependent measurements on ZnSe heterostructures by high-resolution X-ray diffraction
V. Großmann, M. Behringer, H. Heinke and D. Hommel 100

High-resolution X-ray diffraction and X-ray reflectivity studies of short-period CdTe/MnTe-superlattices
J. Stangl, A.A. Darhuber, V. Holý, M. de Naurois, S. Ferreira, W. Faschinger and G. Bauer 105

*Invited paper.

Interface dilution and morphology of CdTe/MnTe superlattices studied by small angle X-ray scattering
J. Eymery, J.M. Hartmann and G.T. Baumbach 109
Pulsed laser annealing of CdTe/CdMnTe superlattices
D. Sands, J.E. Nicholls, J.H.C. Hogg, S. Chalk, F.X. Wagner, W.E. Hagston, M. O'Neill, B. Lunn and D.E. Ashenford 114
Incorporation of rare earths into II–VI compounds during MBE growth: optical and EXAFS studies of Sm-doped ZnTe
D. Wruck, R. Boyn, L. Parthier and F. Henneberger 119
ZnSe/ZnMgSSe QW Structures grown by MOVPE on ZnSe(1 0 0), ZnSe(5 1 1) and GaAs(1 0 0) substrates
V.I. Kozlovsky, A.B. Krysa, Yu.V. Korostelin, P.V. Shapkin, H. Kalisch, M. Luenenbuerger and M. Heuken 124
Optimized metalorganic vapour phase epitaxy of ZnMgSSe heterostructures
H. Kalisch, M. Lünenbürger, H. Hamadeh, J. Xu and M. Heuken 129
Structural characterization of MOVPE grown ZnMgSSe/ZnSe heterostructures by HRXRD
J. Xu, M. Lünenbüger, H. Kalisch, H. Hamadeh, J. Woitok and M. Heuken 134
Studies on structural and electro-optical properties of MOVPE-grown ZnMgSSe by cathodoluminescence
Q. Liu, G. Brockt, A. Meinert, H. Kalisch, M. Heuken and H. Lakner 139
Rapid thermal metalorganic chemical vapor deposition of II–VI compounds
S. Stolyarova, N. Amir and Y. Nemirovsky 144
MOVPE growth of ZnS_xSe_{1-x}/GaAs(1 0 0) using ditertiarybutylselenium, tertiarybutylmercaptan and dimethylzinc triethylamine as precursors
C. Thiandoume, O. Ka, A. Lusson, C. Cohen, A. Bouanani, M. Rommeluere, A. Tromson-Carli and O. Gorochov 149
Homo-epitaxial growth of ZnSe by vapor phase epitaxy and characterization of the grown layers
S. Kishimoto, T. Ogasawara, T. Hasegawa, T. Fukuda and S. Iida 153
Production scale MOCVD growth of II–VI semiconductors
J. Söllner, M. Deschler, H. Jürgensen, H. Kalisch, W. Taudt, H. Hamadeh, M. Heuken, U. Blieske, M. Saad, A. Bauknecht, T. Kampschulte, J. Albert and M.Ch. Lux-Steiner 158

SECTION II. SURFACES AND INTERFACES

Characterization and control of II–VI/III–V heterovalent interfaces*
A. Ohtake, S. Miwa, L.-H. Kuo, T. Yasuda, K. Kimura, C. Jin and T. Yao 163
Photoelectron spectroscopy of molecular-beam epitaxially grown BeTe/ZnSe and BeTe/GaAs heterostructures
M. Nagelstraßer, H. Dröge, F. Fischer, T. Litz, A. Waag, G. Landwehr and H.-P. Steinrück 173
Transitivity of the band offsets in II–VI/III–V heterojunctions
S. Rubini, E. Milocco, L. Sorba and A. Franciosi 178
Interfacial properties of ZnSe/GaAs heterovalent interfaces
F. Lu, K. Kimura, S.Q. Wang, Z.Q. Zhu and T. Yao 183
A Raman study of coupled plasmon–LO phonon modes at ZnSe–GaAs interfaces
O. Pagès, M. Soltani, A. Zaoui, M. Certier, J.P. Laurenti, T. Cloître, R.L. Aulombard, D. Bormann and B. Khelifa 188
Schottky barrier tunability in Al/ZnSe interfaces
M. Lazzarino, G. Scarel, S. Rubini, G. Bratina, A. Bonanni, L. Sorba and A. Franciosi 193
Measurements of transient photocapacitance and photocurrent on MOVPE-grown Au/ZnSe/GaAs heterostructures
M. Germain, M. El Yacoubi, R. Evrard, W. Taudt and M. Heuken 199
Epitaxial growth of CdTe(0 0 1) studied by scanning tunnelling microscopy
D. Martrou, J. Eymery, P. Gentile and N. Magnea 203
REELS measurements on a CdTe(1 0 0) surface
H. Dröge, A. Fleszar and H.-P. Steinrück 208
Contribution to the understanding of the CdTe and $Cd_{1-y}Zn_yTe$ surface chemistry
A. Etcheberry, F. Iranzo-Marin, E. Novakovic, R. Triboulet and C. Debiemme-Chouvy 213
Assignment of reflectance difference spectroscopy peaks to II–VI surface layers
M.R. Schmid, K. Hingerl, D. Stifter, A. Bonanni and H. Sitter 218
Investigation of the surfactant effect of Sn in ZnSe by reflectance difference spectroscopy and reflection high-energy electron diffraction
H.D. Jung, N. Kumagai, T. Hanada, E. Kurtz, Z. Zhu and T. Yao 223

SECTION III. SELF-ORGANISATION AND LOCALISATION, DOTS, WIRES, NANOCRYSTALS

Self-organized growth, ripening, and optical properties of wide-bandgap II–VI quantum dots*
J.L. Merz, S. Lee and J.K. Furdyna 228

Spontaneous formation of II–VI dot arrays and wires
B.P. Zhang, W.X. Wang, T. Yasuda, Y. Segawa, K. Edamatsu and T. Itoh 237
Self-organized CdSe/ZnSe quantum dots on a ZnSe (1 1 1)A surface
E. Kurtz, H.D. Jung, T. Hanada, Z. Zhu, T. Sekiguchi and T. Yao 242
Self-assembled CdSe quantum dots formation by thermally activated surface reorganization
M. Rabe, M. Lowisch and F. Henneberger 248
Photoluminescence and cathodoluminescence studies of ZnSe quantum structures embedded in ZnS
K. Arai, Z.Q. Zhu, T. Sekiguchi, T. Yasuda, F. Lu, N. Kuroda, Y. Segawa and T. Yao 254
Formation of self-assembling II–VI semiconductor nanostructures during migration enhanced epitaxy
K. Leonardi, H. Selke, H. Heinke, K. Ohkawa, D. Hommel, F. Gindele and U. Woggon 259
Observation of different growth modes in the MOVPE of CdS/ZnS and CdSe/ZnSe by in-situ reflectance anisotropy spectroscopy
C. Meyne, U.W. Pohl, J.-T. Zettler and W. Richter 264
ZnO quantum pyramids grown on *c*-plane sapphire by plasma-assisted molecular beam epitaxy
Y. Chen, Z. Zhu, D.M. Bagnall, T. Sekiuchi and T. Yao 269
Self-organized quantum dots of zinc-blende MnTe grown by molecular beam epitaxy
S. Kuroda, Y. Terai, K. Takita, T. Okuno and Y. Masumoto 274
Structural and optical properties of CdTe/MnTe tilted superlattices grown on vicinal surfaces
J.M. Hartmann, F. Kany, F. Chautain, J.L. Rouvière, A. Wasiela and H. Mariette 279
New approach to the fabrication of CdSe/ZnSe quantum dots using a cleaved-edge overgrowth technique
H.-C. Ko, Y. Kawakami, S. Fujita and S. Fujita 283
Excitons trapped on self-organised CdTe islands in wide ZnTe quantum wells
T. Taliercio, P. Lefebvre, N. Magnea, J. Allègre and H. Mathieu 288
Disorder-induced exciton localization in a fractional monolayer ZnSe/CdSe superlattice
A.A. Toropov, S.V. Ivanov, T.V. Shubina, A.V. Lebedev, S.V. Sorokin, P.S. Kop'ev, G.R. Pozina, J.P. Bergman and B. Monemar 293
Ultrathin CdSe quantum wells
K.G. Chinyama, I.V. Bradley, K.P. O'Donnell, P.I. Kuznetsov, A.P. Chernushich and V. Luzanov 298
Magneto-optical properties of the excitons in fractional-monolayer ZnTe structures and ZnTe island self-organizing effects
Q.X. Zhao, N. Magnea and M. Willander 302
Exciton localisation in CdSe islands buried in a quantum well of $Zn_{1-x}Cd_xSe$
F. Gindele, C. Märkle, U. Woggon, W. Langbein, J.M. Hvam, K. Leonardi, K. Ohkawa and D. Hommel 306
Three-dimensionally confined excitons in MOCVD-grown ultrathin CdSe depositions in ZnSSe matrix
R. Engelhardt, V. Türck, U.W. Pohl, D. Bimberg and P. Veit 311
Interband magneto-optics of CdSe and optical spectra of CdSe-based quantum dots
G.N. Aliev, A.D. Andreev, R.M. Datsiev, S.V. Ivanov, S.V. Sorokin, A.B. Kapustina, I.L. Krestnikov, M.E. Sasin and R.P. Seisyan 315
Localization of excitons in ultrathin CdS/ZnS quantum structures
W. Petri, M. Hetterich, U. Woggon, C. Märkle, A. Dinger, M. Grün, C. Klingshirn, T. Kümmell, G. Bacher and A. Forchel 320
Magneto-photoluminescence studies of $Zn_{1-x}Mn_xTe$/ZnTe multiple quantum-well and quantum-dot structures
I.J. Griffin, P.J. Klar, D. Wolverson, J.J. Davies, B. Lunn, D.E. Ashenford and T. Henning 325
Hot exciton relaxation in CdZnSe/ZnSe quantum wells and quantum dots
G. Bacher, R. Spiegel, T. Kümmell, R. Weigand, A. Forchel, B. Jobst, D. Hommel and G. Landwehr 330
Influence of inhomogeneous strain relaxation on the photoluminescence of II–VI nanostructures
Y.M. Niquet, C. Gourgon, Le Si Dang, H. Mariette, C. Priester, C. Vieu, H. Straub, G. Brunthaler, A. Darhuber, Th. Grill, W. Faschinger and G. Bauer 334
High-field magnetoluminescence of ZnSe quantum wires
L. Parthier, S. Luther, O. Portugall, M. von Ortenberg, K. Uchida, H. Kunimatsu and N. Miura 339
Luminescence properties of ZnSe/ZnS(*h* 1 1)A low dimensional structures
P. Tomasini, K. Arai, F. Lu, M.W. Cho, Z.Q. Zhu, T. Yao, Y.H. Wu, T. Sekiguchi, M. Suezawa, M.Y. Shen and T. Goto 343
Molecular beam epitaxy of ZnCdSe/ZnSe wires on patterned GaAs substrates
D. Stifter, W. Heiß, A. Bonanni, G. Prechtl, M. Schmid, K. Hingerl, H. Seyringer, H. Sitter, J. Liu, E. Gornik, L. Tóth and A. Barna 347
Excitons in nanocrystals*
P. Lavallard 352
CdS nanocrystal growth in thin silica films: evolution of size distribution function
O. Lublinskaya, S. Gurevich, A. Ekimov, I. Kudryavtsev, A. Osinskii, M. Gandais and Y. Wang 360

Formation of II–VI nanocrystals in a novel phosphate glass
A.A. Lipovskii, E.V. Kolobkova and V.D. Petrikov 365
Resonant low-frequency Raman scattering in CdS-doped glasses
L. Saviot, B. Champagnon, E. Duval and A.I. Ekimov 370
Electroluminescence in thin solid films of closely-packed CdS nanocrystals
M.V. Artemyev, V. Sperling and U. Woggon 374
$Cd_{1-y}Mn_yS$ nanoparticles: absorption and photoluminescence properties
L. Levy, D. Ingert, N. Feltin and M.P. Pileni 377
EPR and ENDOR investigations on CdS : Mn nanocrystals
D.M. Hofmann, A. Hofstaetter, U. Leib, B.K. Meyer and G. Counio 383
Influence of II–VI nanocrystal shapes on optical properties
V. Albe, C. Jouanin and D. Bertho 388
Electron–hole long-range exchange interaction in semiconductor quantum dots
S.V. Goupalov and E.L. Ivchenko 393

SECTION IV. DOPING AND CONTACTS, DOPANT PROPERTIES

Growth of p-type Zn(S)Se layers by MOVPE*
S. Fujita and S. Fujita 398
Palladium thin film contacts on p-type ZnSe: adjustment of electrical properties by reaction diffusion
F. Goesmann, T. Studnitzky, R. Schmid-Fetzer and A. Pisch 406
Atomic nitrogen doping in p-ZnSe with high activation ratio using a high-power plasma source
K. Kimura, S. Miwa, C.G. Jin, L.H. Kuo, T. Yasuda, A. Ohtake, K. Tanaka, T. Yao and H. Kobayashi 411
Nitrogen doping in molecular-beam epitaxy growth of II–VI semiconductors
T. Baron, K. Saminadayar, S. Tatarenko, H.-J. Lugauer, A. Waag and G. Landwehr 415
Neutralization of nitrogen acceptors in MBE-grown ZnTe by intentional diffusion of hydrogen
H. Pelletier, B. Theys, A. Lusson, J. Chevallier and N. Magnéa 419
Heavily doped p-type ZnSe layer formation by excimer laser doping
Y. Hatanaka, T. Aoki, T. Arakawa, D. Noda and Y. Nakanishi 425
Mechanism for photo-assisted MOVPE nitrogen doping of ZnSe
M.U. Ahmed, P. Prete, S.J.C. Irvine, A. Stafford, L.M. Smith, A.C. Jones and S.A. Rushworth 429
Electron beam activation of acceptors in MOVPE ZnSe : N
V.I. Kozlovsky, A.B. Krysa, W. Taudt and M. Heuken 435
Electrical transport and trap properties in nitrogen-doped p-type MBE-grown ZnSe layers on GaAs using different contact materials
G. Prösch, R. Beyer, M. Behringer, M. Fehrer, H. Burghardt, E. Thomas, D. Hommel and D.R.T. Zahn 440
Nitrogen doping of Te-based II–VI heterostructures
A. Arnoult, S. Tatarenko, D. Ferrand, J. Cibert, A. Haury, A. Wasiela and Y. Merle d'Aubigné 445
Epitaxial growth of n- and p-type ZnCdSe on InP
K. Naniwae, H. Iwata and K. Yashiki 450
Step density dependence of acceptor concentration in Li-doped ZnSe grown on misoriented GaAs(0 0 1)
M. Yoneta, M. Ohishi, H. Saito and N. Jinnai and T. Ohno 455
Crystallographic orientation dependence of As incorporation in MOVPE-grown CdTe and corresponding acceptor electrical state activation
L. Svob, I. Chèze, A. Lusson, D. Ballutaud, J.F. Rommeluère and Y. Marfaing 459
Doping-dependent Mg diffusion in ZnMgSSe/ZnSSe-structures
M. Straßburg, M. Kuttler, O. Stier, U.W. Pohl, D. Bimberg, M. Behringer and D. Hommel 465
Vapour phase and liquid phase doping of ZnSe by group III elements
A.N. Georgobiani, U.A. Aminov, Yu.V. Korostelin, V.I. Kozlovsky, A.S. Nasibov and P.V. Shapkin 470
Nitrogen dopant site within the ZnSe lattice as studied by ion beam analysis
H. Kobayashi, K. Kimura, F. Nishiyama, S. Miwa and T. Yao 475
Configuration of Cl atoms in ZnSe and ZnTe
K. Akimoto, T. Kobayashi, T. Ogawa, W. Ohtsuka, T. Maruyama and Y. Kitajima 480
β-NMR on implanted boron and nitrogen in ZnSe
B. Ittermann, K. Marbach, G. Welker, E. Diehl, M. Füllgrabe, M. Heemeier, F. Kroll, F. Mai, P. Meier, D. Peters, H. Thieß, H. Ackermann, H.-J. Stöckmann, W.-D. Zeitz, H. Wenisch, D. Hommel and G. Landwehr 485
DLTS and drift mobility measurements on MBE-grown nitrogen-doped ZnSe
I.S. Hauksson, D. Seghier, H.P. Gislason, G.D. Brownlie, K.A. Prior and B.C. Cavenett 490

A comparative study on deep levels in p-ZnSe grown by MBE, MOMBE and MOVPE
M. Funato, S. Fujita and S. Fujita 495
⟨1 1 0⟩-uniaxial local strain in epitaxially grown ZnSe on (001)-oriented GaAs
L. Worschech, W. Ossau, H.-J. Lugauer, T. Behr, A. Waag and G. Landwehr 500
Non-destructive measurement of electron concentration in n-ZnSe by means of reflectance difference spectroscopy
N. Kumagai, H.D. Jung, T. Hanada, Z. Zhu, T. Yasuda, K. Kimura, S.D. Lee, M.H. Jeon, H.S. Park, T.I. Kim and T. Yao 505
Spin-flip Raman spectroscopy of nitrogen acceptors in ZnSe layers with different biaxial strains
C.L. Orange, W. Heimbrodt, D. Wolverson and J.J. Davies 510
The phosphorus acceptor in ZnSe
G. Neu, C. Morhain, E. Tournié and J.P. Faurie 515
The nitrogen-related shallow donor in ZnSe : N epitaxial layers
E. Tournié, C. Morhain, G. Neu and J.-P. Faurie 520
Time-resolved photoluminescence of heavily nitrogen-doped ZnSe: role of fluctuations
I. Kuskovsky, D. Li, G.F. Neumark, M. Moldovan, N.C. Giles, V.N. Bondarev and P.V. Pikhitsa 525
Analysis of time-resolved donor–acceptor-pair spectra of ZnSe : Li and ZnSe : N
P. Bäume, S. Strauf, J. Gutowski, M. Behringer and D. Hommel 531
Chlorine-related hot photoluminescence in CdTe
P.N. Tkachuk, V.I. Tkachuk, N.D. Korbutjak, A.N. Raransky, D.V. Korbutyak and S.G. Krylyuk 536

SECTION V. LASERS, LASING AND GAIN

Optical properties of laser diodes and heterostructures based on beryllium chalcogenides
U. Zehnder, D.R. Yakovlev, W. Ossau, T. Gerhard, F. Fischer, H.J. Lugauer, M. Keim, G. Reuscher, Th. Litz, A. Waag, K. Herz, G. Bacher, A. Forchel and G. Landwehr 541
RT lasing and efficient optical confinement in CdSe/ZnMgSSe submonolayer superlattices
I.L. Krestnikov, M.V. Maximov, A.V. Sakharov, P.S. Kop'ev, Zh.I. Alferov, N.N. Ledentsov, D. Bimberg and C.M. Sotomayor Torres 545
Room-temperature CW operation of II–VI lasers grown on ZnSe substrates cleaned with hydrogen plasma
T. Ohno, A. Ohki and T. Matsuoka 550
Fabrication of ZnSe-based laser diode structures by photoassisted MOVPE
Ken-ichi Ogata, D. Kawaguchi, N. Nishiyama, Sz. Fujita and Sg. Fujita 554
Lateral and longitudinal mode control in CdZnSe-based laser diodes
D. Eisert, G. Bacher, M. Legge, A. Forchel, J. Nürnberger, K. Schüll, W. Faschinger and G. Landwehr 558
Lasing and dynamics of photoexcited carriers in graded-index separate confinement $Zn_{1-x}Cd_xSe$ single quantum wells
L. Calcagnile, G. Alfeo, M. Lomascolo, R. Cingolani, C. Gerardi, L. Sorba, L. Vanzetti and A. Franciosi 562
Efficient lateral index guiding of II–VI laser structures by implantation-induced disordering
M. Kuttler, M. Straßburg, V. Türck, R. Engelhardt, U.W. Pohl, D. Bimberg, M. Behringer, D. Hommel, J. Nürnberger and G. Landwehrs 566
Optical properties and defect characterization of ZnSe laser diodes grown on tellurium-terminated GaAs
D. Albert, B. Olszowi, W. Spahn, J. Nürnberger, K. Schüll, M. Korn, V. Hock, M. Ehinger, W. Faschinger and G. Landwehr 571
Optical gain characteristics and excitonic nonlinearities in II–VI laser diodes
P. Michler, M. Vehse, J. Gutowski, M. Behringer, D. Hommel, M.F. Pereira, Jr. and K. Henneberger 575
Stability issues of quaternary CdZnSSe and ternary CdZnSe quantum wells in blue–green laser diodes
M. Behringer, K. Ohkawa, V. Großmann, H. Heinke, K. Leonardi, M. Fehrer, D. Hommel, M. Kuttler, M. Strassburg and D. Bimberg 580
Defect annealing in a II–VI laser diode structure under intense optical excitation
C. Jordan, D.T. Fewer, J.F. Donegan, F.P. Logue, E.M. McCabe, A. Huynh, S. Taniguchi, T. Hino, K. Nakano and A. Ishibashi 585
Structural properties of homoepitaxial and heteroepitaxial ZnSe-based laser structures
H. Heinke, M. Behringer, H. Wenisch, V. Großmann and D. Hommel 587
A study of luminescence thermal quenching in ZnCdSe/ZnSSe quantum wells for the optimal design of blue laser structures
C. Morhain, G.D. Brownlie, E. Tournié, A. Masi, C. Ongaretto, K.A. Prior, J.-P. Faurie and B.C. Cavenett 591
Extremely thick ZnCdSe/ZnSSe multiple quantum-well heterostructures for optoelectronic applications
T.V. Shubina, S.V. Ivanov, A.A. Toropov, G.N. Aliev, M.G. Tkatchman, S.V. Sorokin, N.D. Il'inskaya and P.S. Kop'ev 596
Room-temperature gain spectra and lasing in microcrystalline ZnO thin films
P. Yu, Z.K. Tang, G.K.L. Wong, M. Kawasaki, A. Ohtomo, H. Koinuma and Y. Segawa 601
Room temperature excitonic stimulated emission from zinc oxide epilayers grown by plasma-assisted MBE
D.M. Bagnall, Y.F. Chen, M.Y. Shen, Z. Zhu, T. Goto and T. Yao 605

Wide band-gap ZnHgSSe for visible lasers
K. Hara, S. Haneda, Y. Eguchi and H. Munekata 610
On the laser action of (Zn, Cd)Se multiple-quantum-well structures: Bi-excitons at elevated temperatures
F. Kreller, H.-J. Wünsche, J. Puls and F. Henneberger 614
Thermal and electrostatic stability of biexcitons in $Zn_{1-x}Cd_xSe/ZnSe$ quantum wells
L. Calcagnile, M. Lomascolo, C. Gerardi, G. Coli', R. Cingolani, L. Sorba, L. Vanzetti and A. Franciosi 619
Optical gain in (Zn,Cd)Se–Zn(S,Se) quantum wells as a function of temperature
F.P. Logue, P. Rees, C. Jordan, J.F. Donegan, J. Hegarty, F. Hiei, S. Taniguchi, T. Hino, K. Nakano and A. Ishibashi 623
Saturation of optical gain in ZnSe heterostructures
H. Kalt, M. Umlauff, M. Kraushaar, M. Scholl, J. Söllner and M. Heuken 627
Gain to absorption conversion by increasing excitation density in excitonic waveguides
V. Kutzer, M. Straßburg, A. Hoffmann, I. Broser, U.W. Pohl, N.N. Ledentsov, D. Bimberg and S.V. Ivanov 632
Spectro-temporal gain dynamics of optically pumped II–VI multiple-quantum-well structures
K. Wundke, U. Neukirch, P. Michler, J. Gutowski, M. Behringer and D. Hommel 637
Spin coherence and gain evolution in (Zn, Cd)Se/ZnSe quantum wells
H. Nickolaus, M. Lowisch, F. Kreller and F. Henneberger 641
Ultrafast dynamics of excitonic scattering and gain in narrow ZnCdSe/ZnSe multiple quantum wells
S. Hess, R.A. Taylor, R.A. Adams, J.F. Ryan and R.M. Park 645
Optical gain and lasing in a semiconductor embedded in a three-dimensional photonic crystal
Yu.A. Vlasov, K. Luterova, I. Pelant, B. Hönerlage and V.N. Astratov 650

SECTION VI. NONLINEAR OPTICS AND ELECTRO-OPTIC EFFECTS

Coherent exciton–biexciton interaction studied by femtosecond spectroscopy*
I. Galbraith, I.J. Blewett, A. Tookey, A.K. Kar and B.S. Wherrett 654
Excitonic optical nonlinearities and dynamics in II–VI heterostructures and laser diodes*
J. Gutowski, U. Neukirch, P. Michler, B. Haase and K. Wundke 662
Coherent phenomena and interaction of excitons in wide $ZnSe/Zn_{1-x}Mg_xSe$ single quantum wells
A. Schätz, H.P. Wagner, R. Maier, H. Preis, T. Frey, T. Reisinger, W. Gebhardt, W. Langbein and J.M. Hvam 672
Screened excitons in wide-gap semiconductors and quantum wells
M.E. Portnoi and I. Galbraith 676
Two-photon absorption of biexcitons in ZnS-based quantum wells
K. Yoshimura, H. Watanabe, Y. Yamada, T. Taguchi, F. Sasaki, S. Kobayashi and T. Tani 682
Two- and three-photon spectroscopy of ZnO under uniaxial stress
J. Wrzesinski and D. Fröhlich 686
Second-harmonic generation in the characterisation of epitaxial $Cd_xHg_{1-x}Te$(CMT)$\{1\,1\,1\}$ surfaces
L.E.A. Berlouis, A. Wark, F.R. Cruickshank, R. Antoine, P. Galletto, P.F. Brevet, H.H. Girault, S.C. Gupta, F.R. Chavada and A.K. Garg 691
Four-wave mixing in CdMnTeSe : In crystals
B. Koziarska-Glinka, T. Wojtowicz, I. Miotkowski, J.K. Furdyna and A. Suchocki 696
Index gratings in semimagnetic semiconductors
C. Moussu, I. Zaquine, A. Maruani and R. Frey 701
Electroabsorption in low-dimensional and bulk-like $Zn_{1-x}Cd_xSe$
W. Ebeling, D. Merbach, M. Behringer, M. Fehrer, P. Michler, J. Gutowski, E. Schöll and D. Hommel 706
II–VI piezoelectric-barrier heterostructure for infrared light modulation
V. Ortiz, N.T. Pelekanos and G. Mula 710
A spectroscopic study of the piezoelectric effect in ZnSe/ZnCdSe single quantum wells grown on (2 1 1)B GaAs
J.S. Milnes, C. Morhain, S.A. Telfer, W. Meridith, T.A. Steele, K.A. Prior and B.C. Cavenett 714
CdS–ZnSe intrinsic Stark superlattices
I.V. Bradley, J.P. Creasey, K.P. O'Donnell, B. Neubauer and D. Gerthsen 718
Molecular beam epitaxy of ZnCdSe/ZnSe strained quantum-well structures on GaAs(1 1 1)A substrates and piezoelectric properties
N. Matsumura, H. Shimakawa, M. Gotou and J. Saraie 723
Space-charge effects in type-II strained layer superlattices
I.V. Bradley, J.P. Creasey and K.P. O'Donnell 728
Quantum confined Stark effect in ZnCdSe/MgZnCdSe multiple quantum wells grown on InP substrates
T. Nagano, I. Nomura, M. Haraguchi, M. Arai, H. Hattori, H. Shimbo, A. Kikuchi, K. Shimomura and K. Kishino 732

SECTION VII. MICROCAVITIES, BRAGG STRUCTURES

Strong coupling of exciton–polaritons in semiconductor microcavities*
V. Savona 737
Quantum microcavities in II–VI semiconductors: strong coupling regime in vertical cavity lasers
P. Kelkar, A.V. Nurmikko, C.-C. Chu, J. Han, W.-L. Chen and R.L. Gunshor 745
Laser emission on a cavity-polariton line in a II–VI microcavity
J. Bleuse, F. Kany, A.P. de Boer, P.C.M. Christianen, R. André and H. Ulmer-Tuffigo 750
Coherent exciton–photon dynamics in high-quality II–VI semiconductor microcavities
F. Quochi, G.R. Hayes, R. André, G. Bongiovanni, A. Mura, J.L. Staehli and Le Si Dang 754
Spectroscopy of polaritons in CdTe-based microcavities
R. André, D. Heger, Le Si Dang and Y. Merle d'Aubigné 758
Optical reflection from long-period multiple quantum wells: effects of dielectric constant mismatch
E.L. Ivchenko, V.P. Kochereshko, D.R. Yakovlev, A.V. Platonov, A. Waag, W. Ossau and G. Landwehr 763
Magnetic tuning of reflectivity in CdMnTe/CdZnMgTe excitonic Bragg structures
J. Sadowski, H. Mariette, A. Wasiela, Y. Merle d'Aubigné and T. Dietl 768
Resonant Faraday rotation effect in semimagnetic and nonmagnetic microcavities
M.A. Kaliteevski, M.R. Vladimirova, A.V. Kavokin, O. Lyngnes, J.D. Berger, H.M. Gibbs and G. Khitrova 773
MOVPE growth of ZnSe/ZnS distributed Bragg reflectors on GaAs (1 0 0) and (3 1 1)B substrates
T. Tawara, M. Arita, K. Uesugi and I. Suemune 777
MBE growth of monolithic MgZnSSe/ZnSSe/CdZnSe microcavity led structures
P. Uusimaa, A. Rinta-Möykky, S. Orsila, A. Salokatve and M. Pessa 783

SECTION VIII. QUANTUM WELLS, SUPERLATTICES, HETEROSTRUCTURES

Dark exciton states and magneto-excitons in wide-gap II–VI quantum wells*
J. Puls, F. Henneberger, M. Rabe and A. Siarkos 787
Thermalization of free excitons in ZnSe quantum wells*
H. Kalt, M. Umlauff, J. Hoffmann, W. Langbein, J.M. Hvam, M. Scholl, J. Söllner, M. Heuken, B. Jobst and D. Hommel 795
Homogeneous linewidth of the direct exciton in a type-II ZnSe/BeTe quantum well
A.V. Platonov, D.R. Yakovlev, U. Zehnder, V.P. Kochereshko, W. Ossau, F. Fischer, Th. Litz, A. Waag and G. Landwehr 801
Resonant tunneling in ZnSe/BeTe double barrier structures
M. Keim, U. Lunz, F. Fischer, A. Waag and G. Landwehr 806
Optical study of a tunable-density two-dimensional electron gas in a CdTe/CdZnMgTe single quantum well
S. Lovisa, R.T. Cox, N. Magnea and K. Saminadayar 810
High mobility 2D electron gas in iodine modulation doped CdTe/CdMgTe heterostructures
G. Karczewski, J. Jaroszyński, A. Barcz, M. Kutrowski, T. Wojtowicz and J. Kossut 814
Bound and unbound exciton–electron states in II–VI quantum well structures with a 2DEG
D.R. Yakovlev, V.P. Kochereshko, W. Ossau, J.X. Shen, A. Waag, G. Landwehr, P.C.M. Christianen and J.C. Maan 818
Relative absorption strengths of neutral and negatively charged excitons in CdTe quantum wells
R.B. Miller, T. Baron, R.T. Cox and K. Saminadayar 822
Exciton–electron interactions in CdTe/CdMgTe modulation-doped QW structures
V.P. Kochereshko, D.R. Yakovlev, R.A. Suris, W. Ossau, G. Landwehr, T. Wojtowicz, M. Kutrowski, G. Karczewski and J. Kossut 826
Electron and hole g factor anisotropy in CdTe/CdMgTe quantum wells
A.A. Kiselev, E.L. Ivchenko, A.A. Sirenko, T. Ruf, M. Cardona, D.R. Yakovlev, W. Ossau, A. Waag and G. Landwehr 831
The electron and hole g-factors in CdTe/CdMgTe quantum wells and CdTe/ZnTe irregular superlattice structures
Q.X. Zhao, N. Magnea and M. Willander 835
Band offset determination of the $Zn_{1-x}Cd_xSe/ZnSe$ interface
C. Guénaud, E. Deleporte, A. Filoramo, Ph. Lelong, C. Delalande, C. Morhain, E. Tournié and J.P. Faurie 839
Center-of-mass quantization of light- and heavy-hole excitons in wide ZnTe-(Zn,Mg)Te quantum wells
P. Lefebvre, V. Calvo, N. Magnea, J. Allègre, T. Taliercio and H. Mathieu 844
Effect of confined electrons on the centre-of-mass quantization states of the exciton in wide modulation-doped CdTe/CdZnTe quantum wells
K. Kheng, K. Saminadayar and N. Magnea 849
Investigation of the pressure dependence of subband transitions in $ZnSe/Zn_{1-x}Mg_xSe$ quantum wells by PLE
E. Griebl, A. Stier, M. Krenzer, M. Kastner, T. Reisinger, H. Preis and W. Gebhardt 853

"Bare" and "polaron" band parameters of ZnSe and the energy spectrum of QWs in the (Zn,Cd)Se/(Zn,Mg)SSe heterosystem
G.N. Aliev, A.D. Andreev, O. Coschug-Toates, R.M. Datsiev, S.V. Ivanov, S.V. Sorokin and R.P. Seisyan 857
Optical properties of light-hole excitons in ZnSSe/ZnMgSSe tensile-strained quantum wells
J. Suda, M. Ogawa, K. Sakurai, Y. Kawakami, Sz. Fujita and Sg. Fujita 863
Characterization of ZnMgSSe/ZnSe quantum wells grown by MOVPE
H. Hamadeh, M. Lünenbürger, H. Kalisch and M. Heuken 867
Study of ZnCdSe/ZnSe quantum-wells grown by molecular-beam epitaxy on ZnSe substrates
V.I. Kozlovsky, P.A. Trubenko, E.M. Dianov, Yu.V. Korostelin, A.B. Krysa and P.V. Shapkin 872
Tight-binding calculation of linear excitonic absorption spectra of single quantum wells
H. Dierks and G. Czycholl 877
Recombination kinetics of S1 and S2 bands in ZnSe–ZnTe superlattices
K. Suzuki, U. Neukirch, J. Gutowski, N. Takojima, T. Sawada and K. Imai 882
Interface roughness correlation in CdTe/CdZnTe strained quantum wells
N.T. Pelekanos, N. Boudet, J. Eymery and H. Mariette 886

SECTION IX. SEMIMAGNETIC SEMICONDUCTORS

Confinement effects in semimagnetic semiconductors*
T. Dietl 890
Ferromagnetic transition induced by a two-dimensional hole gas in a semimagnetic quantum well
J. Cibert, P. Kossacki, A. Haury, A. Wasiela, Y. Merle d'Aubigné, T. Dietl, A. Arnoult and S. Tatarenko 898
Bose condensation of exciton magnetic polarons in semimagnetic quantum wells
A. Kavokin, B. Gil and P. Bigenwald 903
An approach to the exciton magnetic polaron bifurcation problem studied in $Cd_{1-x}Mn_xTe$–CdTe–$Cd_{1-y}Mg_yTe$ asymmetric single quantum wells
S. Takeyama, Y.G. Semenov, T. Karasawa, G. Karczewski, T. Wojtowicz and J. Kossut 907
Magnetic polaron associated with a hole in zinc-blende semimagnetic semiconductors
A.K. Bhattacharjee and C. Benoit à la Guillaume 912
Exciton magnetic polaron localization dynamics in bulk $Cd_{1-x}Mn_xTe$
S. Takeyama, Y. Takagi, T. Karasawa and V.F. Aguekian 917
MnTe fractional monolayers in CdTe/CdMgTe heterostructures: a comparative study of magnetic polarons
A. Bonanni, W. Heiß, G. Prechtl, D. Stifter, M. Schmid, K. Hingerl, W. Jantsch, H. Sitter, L. Tóth and Á. Barna 921
Exciton dynamics in diluted magnetic II–VI semiconductor nanostructures
Y. Oka, K. Yanata, S. Takano, K. Egawa, K. Matsui, M. Takahashi and H. Okamoto 926
Ultrafast spin dynamics in diluted magnetic semiconductor quantum wells
R. Akimoto, K. Ando, F. Sasaki, S. Kobayashi and T. Tani 931
Excitons in $Cd_{1-x}Mn_xTe$ quantum wells with a parabolic confining potential
T. Wojtowicz, M. Kutrowski, G. Cywiński, G. Karczewski, E. Janik, E. Dynowska, J. Kossut, R. Fiederling, A. Pfeuffer-Jeschke and W. Ossau 936
Zeeman splitting of excitons in CdTe/CdMnTe quantum wells
A.K. Bhattacharjee and G. Fishman 942
Magnons in layered MnTe/CdTe structures
M. Jouanne, W. Szuszkiewicz, J.F. Morhange, M.A. Kanehisa, J.M. Hartmann, H. Mariette, E. Dynowska, G. Karczewski, T. Wojtowicz, J. Kossut and J. Barnas 947
Resonant coherent Raman spectroscopy on short-period CdTe/MnTe superlattices
R. Rupprecht, H. Pascher, W. Faschinger, H. Sitter and G. Bauer 952
Inter-quantum well exciton transfer in $CdTe/Cd_{1-x}Mn_xTe$ ($x = 0.1, 0.3$) multiple quantum well structures
M. Godlewski, Z. Wilamowski, T. Wojtowicz, G. Karczewski, J. Kossut, P.O. Holtz, J.P. Bergman and B. Monemar 957
Magneto-optical anisotropy of semimagnetic ADQW structures
W. Heimbrodt, D. Suisky, M. Happ, F. Neugebauer, B. Lunn and D.E. Ashenford 961
Interdiffusion in annealed CdMnTe/CdTe/CdMgTe quantum wells studied by the Zeeman effect
S. Maćkowski, Nguyen The Khoi, P. Kossacki, A. Golnik, J.A. Gaj, A. Lemaître, C. Testelin, C. Rigaux, G. Karczewski, T. Wojtowicz and J. Kossut 966
Magneto-optical study of interface broadening of $CdTe/Cd_{1-x}Mn_xTe$ quantum wells
S. Kuroda, K. Kojima, K. Takita, K. Uchida and N. Miura 971
Zinc-blende $Mg_{1-x}Mn_xTe$ – a new diluted magnetic semiconductor system
E. Janik, E. Dynowska, J. Bąk-Misiuk, T. Wojtowicz, G. Karczewski, J. Kossut, A. Stachow-Wójcik, A. Twardowski, W. Mac and K. Ando 976

Transient photo-reflectance of CdMnTe MBE layers: optical path modulation
W. Farah, D. Scalbert, M. Nawrocki, J.A. Gaj, E. Janik, G. Karczewski and T. Wojtowicz 980
Nonlinear excitonic Faraday effects in CdTe/$Cd_{1-x}Mn_xTe$ quantum wells
P. Leisching, C. Buss, J. Cibert, R. Frey and C. Flytzanis 984
High-field Faraday rotation in II–VI-based semimagnetic semiconductors
A.I. Savchuk, V.I. Fediv, P.I. Nikitin, A. Perrone, O.M. Tatzenko and V.V. Platonov 988
Influence of local potentials on spin-splitting in diluted magnetic semiconductors
M. Herbich, Ł. Kłopotowski, W. Mac, A. Stachow, A. Twardowski, J. Tworzydło and M. Demianiuk 992
Description of the exchange effects in dilute magnetic semiconductor quantum structures
H. Bednarski, J. Cisowski and J.C. Portal 996
The s,p–d exchange interaction of $Cd_{0.997}Cr_{0.003}S$
M. Herbich, W. Mac, A. Twardowski, K. Ando, D. Scalbert, A. Petrou and M. Demiariuk 1000

SECTION X. GROWTH OF BULK CRYSTALS AND SUBSTRATES

CdTe and CdTe : Cl vapour growth in a semi-closed system
T. Kunz, M. Laasch, J. Meinhardt and K.W. Benz 1005
Seeded vapour-phase free growth of ZnSe single crystals in the ⟨1 0 0⟩ direction
Yu.V. Korostelin, V.I. Kozlovsky, A.S. Nasibov, P.V. Shapkin, S.K. Lee, S.S. Park, J.Y. Han and S.H. Lee 1010
Structural investigations of polytypes in $Zn_{1-x}Mg_xSe$ by transmission electron microscopy and cathodoluminescence
U. Falke, A. Cichos, F. Firszt, H. Męczyńska, P. Dłużewski, W. Paszkowicz, J. Lenzner and M. Hietschold 1015
New results on the solid-phase recrystallisation of ZnSe
S. Fusil, P. Lemasson, J.O. Ndap, A. Rivière, A. Lusson, G. Neu, E. Tournié, G. Geoffroy, A. Zozime and R. Triboulet 1021
ZnO growth by chemically assisted sublimation
J.-M. Ntep, M. Barbé, G. Cohen-Solal, F. Bailly, A. Lusson and R. Triboulet 1026
Characterisation of CdO thin films deposited by activated reactive evaporation
K.T. Ramakrishna Reddy, C. Sravani and R.W. Miles 1031
Improvements in production of CdZnTe crystals grown by the Bridgman method
H.L. Glass, A.J. Socha, C.L. Parfeniuk and D.W. Bakken 1035
Electrical and luminescence properties of (CdZn)Te single crystals prepared by the vertical gradient freezing method
P. Höschl, Yu.M. Ivanov, E. Belas, J. Franc, R. Grill, P. Hlídek, P. Moravec, M. Zvára, H. Sitter and A.L. Toth 1039
Low defect density, substrate quality crystals of the wide-gap II–VI compounds, obtained by physical vapour transport technique (PVT)
A. Mycielski, E. Łusakowska, A. Szadkowski and L. Kowalczyk 1044
Growth stability of zinc selenide bulk crystals from solutions
A.-D. Weber, M. Müller, D. Hofmann and A. Winnacker 1048
Growth and characterisation of $Cd_{1-x}Mg_xSe$ mixed crystals
F. Firszt, S. Łęgowski, H. Męczyńska, J. Szatkowski, W. Paszkowicz and M. Marczak 1053
Peculiarities of solid–liquid-phase transition in CdTe
L. Shcherbak 1057

SECTION XI. GENERAL PHYSICAL PROPERTIES, POINT DEFECTS

Beryllium substitution-mediated covalency engineering of II–VI alloys for lattice elastic rigidity reinforcement
C. Vèrié 1061
Optical and acoustical phonon properties of BeTe
V. Wagner, S. Gundel, J. Geurts, T. Gerhard, Th. Litz, H.-J. Lugauer, F. Fischer, A. Waag, G. Landwehr, R. Kruse, Ch. Becker and U. Küster 1067
Photoluminescence quantum efficiency of various ternary II–VI semiconductor solid solutions
R. Westphäling, S. Bauer, C. Klingshirn, A. Reznitsky and S. Verbin 1072
Optical band gap of $Zn_xMg_{1-x}S$ thin films with composition x between 0.14 and 1.0
R. Inoue, M. Kitagawa, T. Nishigaki, K. Ichino, H. Kobayashi, M. Ohishi and H. Saito 1076
The effect of disorder on the exciton dynamics in cation-substituted $Zn_xCd_{1-x}S$ mixed crystals
A. Euteneuer, R. Hellmann, E. Göbel, S. Shevel, V. Vozny, M. Vytrykhivsky, W. Petri and C. Klingshirn 1081
Structural and optical properties of $Zn_{1-x}Mg_xSe$ alloys grown on GaAs(0 0 1) substrates by molecular beam epitaxy
D. Huang, X. Wang, Y. Wei, X. Liu, J. Wang, X. Wang, Z. Chen and W. Lu 1085
Disorder effects on electronic and optical properties in $ZnSe_xTe_{1-x}$
A. Zaoui, M. Certier, M. Ferhat, O. Pagès and H. Aourag 1090

Exciton polariton diffusion in ZnSe layers
G. Bley, U. Neukirch and J. Gutowski 1095
Structure of free exciton luminescence spectra in heteroepitaxial ZnSe/GaAs
A.L. Gurskii, Yu.P. Rakovich, M.M. Karpuk, A.A. Gladyshchuk, G.P. Yablonskii, H. Hamadeh, W. Taudt and M. Heuken 1100
Magnetoexcitons and Landau levels in strained ZnTe and ZnSe layers
S. Lee, F. Michl, U. Rössler, M. Dobrowolska and J.K. Furdyna 1105
Temperature dependence of excitonic luminescence from high-quality ZnS epitaxial layers
S. Nakamura, T. Sakashita, Y. Yamada and T. Taguchi 1110
Optical absorption tails in $Cd_{0.97}Zn_{0.03}Te$ and CdS at elevated temperatures
J.T. Mullins, D.M. Huntley, R.C. Aylmore and A.W. Brinkman 1114
The temperature dependence of the electron g-factor in CdTe
B.K. Meyer, A. Hofstaetter, U. Leib and D.M. Hofmann 1118
Energy transfer processes and photoluminescence properties of homogeneously- and delta-doped ZnS : Mn
W. Park, T.C. Jones, S. Schön, W. Tong, M. Chaichimansour, B.K. Wagner and C.J. Summers 1123
Optical spectra and electronic structure of CdFeTe mixed crystals
T.P. Surkova, S.A. Permogorov, L.N. Tenishev and V.R. Galakhov 1128
Photoluminescence dynamics of Co-doped $Zn_{1-x}Cd_xSe$ and ZnS_xSe_{1-x} crystals
H. Born, P. Thurian, T. Surkova, A. Hoffmann, W. Busse, H.-E. Gumlich, I. Broser and W. Giriat 1132
Pd-defect-complexes in ZnTe and CdTe and interaction with group-V-elements
S. Hermann, H.-E. Mahnke, B. Spellmeyer, M. Wienecke, B. Reinhold, R.A. Yankov and H.-E. Gumlich 1137
Photoconductivity studies in vanadium-doped CdTe and $Cd_{1-x}Zn_xTe$
Kh. Allachen, M. Tapiero, Z. Guellil, J.P. Zielinger and J.C. Launay 1142
Hydrogen-related photoluminescence in CdTe
J. Hamann, D. Blaß, A. Burchard, C. Casimir, M. Deicher, T. Filz, R. Magerle, V. Ostheimer, C. Schmitz, H. Wolf and Th. Wichert 1147
Deep levels in ZnSe epitaxial layers examined by piezoelectric photoacoustic spectroscopy
K. Yoshino, Y. Nakagawa, A. Fukuyama, K. Maeda, M. Yoneta, H. Saito, M. Ohishi and T. Ikari 1151
Associates formation in CdTe at high levels of native point defects
A. Savitsky, O. Parfenyuk, M. Ilashchuk, P. Fochouk and V. Burachek 1155
Band-gap level of the cadmium vacancy in CdTe
U. Reislöhner, J. Grillenberger and W. Witthuhn 1160
Ternary II–VI compounds for optical waveguides
M. Kühnelt, L. Reindl, E. Griebl, B. Hahn, S. Kaiser, M. Kastner, H. Preis, T. Frey, T. Reisinger, H.P. Wagner and W. Gebhardt 1165
Radiative recombination in a ZnTe p–n junction
V.N. Iodko, V.P. Gribkovskii, A.K. Belyaeva, Yu.R. Suprun-Belevich and Zh.A. Ketko 1170
Photoluminescence and thermal quenching of bound excitons in $(BaS)_{1-x}(SrTe)_x$
J.S. Lewis, P.D. Rack and P.H. Holloway 1175

SECTION XII. NARROW-GAP SEMICONDUCTORS

Density dependent cyclotron and intersubband resonance in inverted CdTe/HgTe/CdTe quantum wells
M. Schultz, U. Merkt, A. Sonntag, U. Rössler, T. Colin, P. Helgesen, T. Skauli and S. Løvold 1180
Growth and optical properties of (1 1 2)B $HgTe/Hg_{1-x}Cd_xTe$ superlattices
C.R. Becker, A. Pfeuffer-Jeschke, V. Latussek, M. Li, K. Ortner, V. Daumer, S. Oehling, W. Tang and G. Landwehr 1185
Spectroscopy of interface states in $HgTe/Hg_{1-x}Cd_xTe$ superlattices
M. von Truchsess, A. Pfeuffer-Jeschke, V. Latussek, C.R. Becker and E. Batke 1190
Magnetic field and dimensionality-induced population effects in HgSe : Fe quantum wells: the cyclotron resonance
O. Portugall, M. Barczewski, M. von Ortenberg, D. Schikora, T. Widmer and H. Lischka 1195
Thermomagnetic effects in a two-dimensional system containing mixed valence impurities
I.I. Lyapilin 1200
Peculiarities in lattice dynamics of HgSe and β-HgS
W. Szuszkiewicz, K. Dybko, B. Hennion, M. Jouanne, C. Julien, E. Dynowska, J. Górecka and B. Witkowska 1204
Valence band parameters for $Hg_{1-x}Mg_xTe$ epitaxial layers
K. Paesler, B. König, M. von Truchsess, A. Pfeuffer-Jeschke, S. Oehling, C.R. Becker and E. Batke 1209
FIR phonon spectroscopy of quaternary $Hg_{1-x-y}Cd_xMn_yTe$
G.G. Tarasov, S.R. Lavoric, Yu.I. Mazur and J.W. Tomm 1214

Characterisation of reactive-ion-etching-induced type-conversion in p-type HgCdTe using scanning laser microscopy
J.F. Siliquini, J.M. Dell, C.A. Musca, L. Faraone and J. Piotrowski 1219
Non-uniformity of Hg diffusion in p-type HgCdTe
H. Ebe, T. Okamoto, K. Yamamoto and Y. Miyamoto 1223
Achievement of low p-type carrier concentration for MOCVD growth HgCdTe without an annealing process
K. Matsushita, K. Shigenaka and A. Kamata 1228
Iodine and arsenic doping of (1 0 0)HgCdTe/GaAs grown by metalorganic vapor phase epitaxy using isopropyl iodide and tris-dimethylaminoarsenic
J.-H. Song, J.-W. Kim, M.-J. Park, J.-S. Kim, K.-U. Jung and S.-H. Suh 1232
Oxidation of $Hg_{0.8}Cd_{0.2}Te$ in basic media: an XPS and spectroscopic ellipsometry study
F. Lefèvre, D. Lorans, C. Debiemme-Chouvy, A. Etcheberry, D. Ballutaud and R. Triboulet 1237
Crystallinity improvement of $Hg_{1-x}Cd_xTe$ films grown by a liquid-phase epitaxial technique
B. Li, X. Zhang, J. Zhu and J. Chu 1242
Study on minority carrier lifetime of n-HgZnTe by photoconductive decay method
K.N. Oh, K.H. Kim, J.K. Hong, Y.C. Chung, S.U. Kim and M.J. Park 1247
Liquation phenomena in CMT melts and structural features in cadmium and mercury tellurides in a liquid phase
V.M. Glazov and L.M. Pavlova 1253

SECTION XIII. DETECTORS AND DETECTOR MATERIALS

Progress in HgCdTe homojunction infrared detectors*
P. Tribolet, J.P. Chatard, P. Costa and A. Manissadjian 1262
Molecular beam epitaxial growth and performance of integrated multispectral HgCdTe photodiodes for the detection of mid-wave infrared radiation*
R.D. Rajavel, D.M. Jamba, J.E. Jensen, O.K. Wu, J.A. Wilson, J.L. Johnson, E.A. Patten, K. Kosai, P. Goetz and S.M. Johnson 1272
Advances in HgCdTe N–P–N–P photoconductive structures
M.A. Le Meur, M. Cuniot, J.F. Rommeluère, A. Tromson-Carli, R. Triboulet and Y. Marfaing 1279
A monolithic dual-band HgCdTe infrared detector
C.A. Musca, J.F. Siliquini, G. Parish, J.M. Dell and L. Faraone 1284
LWIR 256 × 256 HgCdTe focal plane array operating at 88 K
G. Destefanis, P. Audebert, E. Mottin and P. Rambaud 1288
Giant magnetoresistance in $Hg_{1-x}Cd_xTe$ and applications for high density magnetic recording
T. Thio, S.A. Solin, J.W. Bennett, D.R. Hines, M. Kawano, N. Oda and M. Sano 1293
Heteroepitaxy of CdTe on Ge(2 1 1) substrates by molecular beam epitaxy
J.P. Zanatta, P. Ferret, P. Duvaut, S. Isselin, G. Theret, G. Rolland and A. Million 1297
CdTe and CdZnTe materials for room-temperature X-ray and gamma ray detectors*
Y. Eisen and A. Shor 1302
Properties of $Cd_{1-x}Zn_xTe$ crystals grown by high pressure Bridgman for nuclear detection
P. Fougeres, M. Hage-Ali, J.M. Koebel, P. Siffert, S. Hassan, A. Lusson, R. Triboulet, G. Marrakchi, A. Zerrai, K. Cherkaoui, R. Adhiri, G. Bremond, O. Kaitasov, M.O. Ruault and J. Crestou 1313
ZnSe-based MBE-grown photodiodes
A. Gerhard, J. Nürnberger, K. Schüll, V. Hock, C. Schumacher, M. Ehinger and W. Faschinger 1319
ZnSTe-based visible-blind UV photovoltaic detectors
I.K. Sou, C.L. Man, Z.H. Ma, Z. Yang and G.K.L. Wong 1324

SECTION XIV. POST-DEADLINE PAPERS

Strain studies on $Cd_xZn_{1-x}Se$/ZnSe quantum wires by micro-resonance Raman spectroscopy
G. Lermann, T. Bischof, B. Schreder, A. Materny, H. Schwoerer, W. Kiefer, T. Kümmell, G. Bacher, A. Forchel and G. Landwehr 1330
CdSe single quantum wells (SQW): are they dots?
K.P. O'Donnell, K. Chinyama, P.J. Parbrook, A. Rosenauer, M. Umlauff, H. Kalt and D. Gerthsen 1331
Stranski–Krastanow MOVPE growth of nanoscale ZnTe islands on (0 0 1)GaAs
G. Leo, M. Longo, N. Lovergine, M. Mazzer, A.M. Mancini, M. Berti and A.V. Drigo 1332

Growth and characterisation of $Zn_{1-x}Be_xSe$ mixed crystals
F. Firszt, S. Łęgowski, H. Męczyńska, J. Szatkowski, W. Paszkowicz and K. Godwod 1335
ZnSe metal organic vapour-phase epitaxy on GaAs: substrate preparation as the limiting factor in ZnSe growth
D.N. Gnoth, T.L. Ng, I.B. Poole, D.A. Evans, N. Maung and A.C. Wright 1338
Application of microgravity solidification results to the growth of bulk CdTe and related materials
M. Fiederle, K.W. Benz and T. Duffar 1339

Author index 1340

Subject index 1364